



vivo spa[®]

WaterFIT

SWIM SPAS

2021 / 2022

content

2 / 3	WELCOME	54	BUILDUP
4 / 5	PHILOSOPHY	55	CONSTRUCTION
6 – 11	REFRESH LIFE	56	MOOD
12 / 13	MOOD	57	INTEGRATION
14 / 15	ACTIVE & RELAXED	58 / 59	WATER TREATMENT
16 – 19	SWIMMING	60 / 61	AROMATHERAPY
20 / 21	AQUA FITNESS	62 / 63	MOOD
22 / 23	FUN	64 / 65	THE VIVO SPA® CLAIM
24 – 29	COUNTER-CURRENT	66 / 67	PREMIUM PACKAGE
30 – 33	HYDROTHERAPY	68 / 69	MOOD
34 / 35	MASSAGE JETS	70 / 71	COLOR SELECTION
35	ERGONOMICS	72	MOOD
36 – 39	COLOR THERAPY	73	MODEL OVERVIEW
40 / 41	SERVICE	74 / 75	VIVO SPA® WaterFit 1
42 / 43	ECOLOGY & EFFICIENCY	76 / 77	VIVO SPA® WaterFit 2
44 / 45	MOOD	78 / 79	VIVO SPA® WaterFit 3
46	INSULATION	80 / 81	VIVO SPA® WaterFit 4
47	THERMO COVER	82 / 83	VIVO SPA® WaterFit 5
48 / 49	ROLL COVER	84	PREMIUM – SERVICE
50	MOOD	85	INSPIRATION
51	TECHNOLOGY	86 – 88	TECHNICAL SPECIFICATIONS
52 / 53	ELECTRONICS & HEATING		



WaterFIT active & relaxed





WORKOUT – FRONT CRAWL



RELAXED – BREASTSTROKE



MODERATE – BACKSTROKE



vivo spa®



Anyone who has ever completed an aqua fitness program knows how effective and beneficial it can be to exercise in water, not just swimming.

The natural resistance of the water already has a pleasant training effect. If that's not enough, you can also train with infinitely adjustable counter-current.

Create your own aqua fitness program and train muscles, connective tissue and posture in a way that is easy on the joints. Our WaterFit models make it possible!



For "the swim vacation in between": for families with children, the WaterFit Swim Spa is an absolute highlight. Your kids can swim, romp, dive, enjoy ball and water games to their heart's content – there are no limits to their creativity! You can teach your little ones to swim in a playful and safe way and get them used to the water with lots of fun and joy.





DESIGNED TO INSPIRE - WITHOUT COMPROMISES.

With the RiverStream^{PRO} counter-current system, you can adjust the strength of each individual water flow through a regulator continuously and adapt to your needs. Choose from five different height positions the appropriate level for swimming or fitness program.



vivo spa®

PERFORMANCE



MP Swim^{PRO}

- ▶ easy and quick settings
- ▶ individually configurable
- ▶ High dynamics – gentle swimming to vigorous workout

EXPERIENCE

Water FIT

- ▶ variable swimming strokes possible
- ▶ wide range of aqua fitness options
- ▶ comfort functions
- ▶ lit RiverStream

WATER FLOW



FreeFloat

- ▶ Optimizing the water circulation
- ▶ turbulence-free circulation
- ▶ extra-wide water flow



Through the optimized interplay of performance, experience and water flow, we have a unique system created that is completely convincing.




An extra-wide water flow, continuously adjustable in strength, adjustable in height: the RiverStream PRO counter-current is everything but standard. Nevertheless, the counter-current system with exclusive LED lighting is installed as standard in all vivo spa® Swim Spa models of the WaterFit series.



MP Swim

The MP Swim System is suitable for recreational swimmers and amateur athletes. It provides optimal water flow, which is best suited for breaststroke, backstroke and fitness training in the water.



MP Swim^{PRO}

For serious swimmers and athletes we recommend the MP Swim^{PRO} system. It guarantees an even stronger counter-current that will drive you to peak performance.

SWIMMING STYLE

MODEL

relaxed

Gently start the morning or end the evening.

Water FIT 1

moderate

Stimulate your cardiac system and stay at a continuous level for as long as possible.

Water FIT 2

Water FIT 3

workout


Shorter, but intensive "Power- Intervals" – ideally suited for ambitious swimmers and athletes.

Water FIT 4

Water FIT 5




SUPERB WATER FLOW.



The unique design of our Swim Spas and the FreeFloat system causes the water flow to be directed back along the bottom and sides outside of the current flow. This reduces turbulence, provides smoother water flow and a better swimming experience.



vivo spa®



Effect of a hydromassage

ADVANTAGES** for the **BODY

- ▶ relieves tensions
- ▶ increased freedom of movement in the water
- ▶ relaxes and relieves of the entire musculoskeletal system and mobility apparatus
- ▶ reduces of the tonus in connective tissues and muscles
- ▶ supports mobility of joints and body
- ▶ activates metabolism and stimulates blood
- ▶ circulation in connective tissue and fascia
- ▶ regeneration after physical exertion and exhaustion

BENEFITS** for the **MIND

Regeneration after mental effort and exhaustion.

- ▶ improvement of the general well-being
- ▶ calming of the autonomic nervous system
- ▶ reduction of stress
- ▶ relief of nervous complaints
- ▶ sleep-inducing when used before bedtime



Luminate COLOR

ADAPTS PERFECTLY TO YOUR MOOD: SENSUOUS
HARMONY FOR A SPECIAL FEEL-GOOD ATMOSPHERE.

Few things are as fascinating as the interaction of light and water. Pleasant colors give your vivo spa® outdoor Swim Spa a special atmosphere and create a cosy feel-good environment. Simply choose from various light modes: Whether as single color or infinitely changing colors: the vivo spa® colour light therapy creates the right atmosphere and your Swim Spa is guaranteed to shine!



included in our
Premium Package






CARMINE RED

*Lively, dynamic, attractive.
Comfortable soft warmth.*



SMARAGD GREEN

*Vital, calming, balancing.
Pleasantly gentle freshness.*



PURPLE VIOLET

*Unifying, balancing, inspiring. Serene
meditative attention.*



TURQOISE BLUE

*Restorative, liberating, uplifting.
Peacefully relaxing regeneration.*



ULTRAMARINE BLUE

*Mental, calming, focusing.
Deep concentric clarity.*



SUN YELLOW

*Radiant, warming, invigorating.
Cheerful lively joy.*




vivo spa®




WaterFIT Insulation & Thermo Cover




NEWLY DEVELOPED: ISOTEC^{PRO} - ENSURES THE BEST POSSIBLE ENERGY BALANCE.



To reduce heat loss as best as possible and thus also keep energy costs as low as possible, all models of the WaterFit series are equipped with the specially developed IsoTec^{PRO} insulation system. Combined with our high-quality ThermGUARD^{PRO} insulation solution – integrated in the ThermoCover and the optional RollCover – and the HEATTec^{PRO} heat control system, you get the best possible efficiency and effectively minimize the operating costs of your vivo spa® Swim Spa.



ThermGUARD^{PRO} BEST COLD PROTECTION: THERMO COVER THE NEW GENERATION.



You will enjoy this cover: The ThermGuard^{PRO} technology was developed in close cooperation with experienced thermal insulation specialists. The special feature of ThermGUARD^{PRO} is the optimal combination of selected components with leading insulation technologies.

ADVANTAGES

- optimal insulation effect
- excellent material resistance
- field-proven components



WaterFIT Roll Cover





QUICKLY ROLLED UP AND UNROLLED, PERFECTLY PROTECTED.

OPTIONALLY
available

Simply good: The newly developed RollCover from vivo spa® with ThermGUARD Pro technology is available as an option and makes it remarkably easy to "open" and "close" your Swim Spa. No matter whether you lower your model into the ground, partially sink it or set it up free standing: with the vivo spa® RollCover, your Swim Spa is optimally protected from external influences, very well insulated and child's play to handle.



SPECIAL FEATURES - VIVO SPA® ROLLCOVER

- ▶ Simple & practical: excellent roll-on and roll-off properties let your Swim Spa "open" and "close" as easy as child's play.
- ▶ Perfect fit in shape & design: integrated support arms ensure optimized drainage of stagnant water
- ▶ High-quality materials: the sheathing made of oxford fabric material is hard-wearing, waterproof, durable and UV-resistant
- ▶ Very good insulation values: due to specially developed interior with high density of XPE foam.

WaterFIT integration



FREE STANDING
with Dura Step ^{PRO}



PARTIALLY INTEGRATED
 $\frac{1}{3}$ recessed



PARTIALLY INTEGRATED
 $\frac{2}{3}$ recessed with maintenance shaft



FULLY INTEGRATED
with maintenance shaft

***WaterFIT** aromatherapy*



The miraculous effect of fragrant aromas was highly appreciated thousands of years ago in ancient times and the distant Orient.

Even today, the addition of pleasant aromas is still very popular. And not without reason: fragrances awaken in us a feeling of being able to breathe deeply and let go, and open up the space for complete relaxation.



SENSUAL MOMENTS TO BREATHE DEEPLY AND ENJOY. RELAX TO PLEASANT FRAGRANCES AND ARRIVE IN THE HERE AND NOW.

Place the fragrance pearl bag in the aromatherapy container provided. Now it is time to activate the blower and lean back. Thanks to the AirBlow^{PRO} system, the air bubbles will effectively emit the fragrance throughout the spa area (WaterFit 2). You can keep the bag in the container and repeat the application as required by controlling the blower.

Alternatively, for models without AirBlow^{PRO}, you can add the aroma directly to the water. Liquid aroma additives are recommended here, which are added in the middle with the counter-current running for optimum distribution.

popular fragrances

LAVENDER



balancing, soothing,
stress-relieving

EUCALYPTUS



refreshing, invigorat-
ing, strengthening

CLARY SAGE



vitalizing, relaxing, inspiring

CHAMOMILLE



calming, stress-relieving,
strengthening

BERGAMOT *



relaxing, mood bright-
ening, invigorating

SANDALWOOD *



harmonizing, strengthening,
aphrodisiac

* Addition of these fragrances takes place directly into the water. All other fragrances can be added to the aroma container – available for WaterFit 2 with AirBlow^{PRO}.



***WaterFIT** exterior colors*



Dark Grey (standard color)



Black Wood



Light Grey


WaterFIT interior colors



White Marble
(standard color)



White Fawn



White Satin



Midnight Opal



Ocean Wave

BioLok® protection

durable, UV-resistant, without chemicals,
pesticides or similar additives.




SilkTouch⁺

skin-friendly acrylic to feel good

Silky soft to the touch and also a visual delight: our SilkTouch+ acrylic with BioLok®. Experience a pleasant, heat-storing acrylic. It is also easy to clean and naturally resistant to microorganisms. Standard on all vivo spa® models.


WaterFIT model overview

WaterFit 1




400 × 228 × 135 cm **P. 74 – 75**

WaterFit 4S




450 × 225 × 154 cm **P. 80 – 81**

WaterFit 5S




450 × 225 × 154 cm **P. 82 – 83**

WaterFit 3




530 × 238 × 150 cm **P. 78 – 79**

WaterFit 4M




550 × 225 × 154 cm **P. 80 – 81**

WaterFit 5M




550 × 225 × 154 cm **P. 82 – 83**

WaterFit 2




580 × 238 × 138 cm **P. 76 – 77**

WaterFit 4L



590 × 225 × 154 cm **P. 80 – 81**

WaterFit 5L




590 × 225 × 154 cm **P. 82 – 83**

WaterFIT 1

COMPACT, CONVENIENT, VERSATILE.

Lots of fun in a small space – the vivo spa® WaterFit 1 makes it possible! One lounging area, two seating areas and a standing therapy area provide sufficient massage. Three wide RiverStream PRO counter-current systems with MP Swim technology are suitable for a relaxed to moderate water program for intermediate swimmers, aqua fitness enthusiasts and families with children.

The vivo spa® WaterFit 1 Swim Spa is an all-rounder for your home. Enjoy the perfect combination of exercise, relaxation and fun all year round.



400 × 228 × 135 cm



3x  **MP Swim**
COUNTER-CURRENT

3x  **RiverStream^{PRO}**
OUTLETS

1x  **MP^{PRO}**
MASSAGE PUMP



 **ComfortLINE⁺**

1 LOUNGER 2 SEATS



Waterfall
ILLUMINATED



7.000l
CAPACITY


WaterFIT 2

ALL-ROUND PACKAGE WITH PERFECT SEGMENTATION.

If you are looking for the optimum of swimming and hydromassage, you will have a lot of fun with the vivo spa® WaterFit 2. It combines both worlds brilliantly and offers everything your wellness heart desires in a space-saving way.

Two independently operating systems offer you maximum comfort and flexibility. You want it sporty? Then the "fitness area" offers you a perfect counter-current for swimming, aqua fitness and exercise with relaxed to moderate intensity. Three wide RiverStream^{PRO} counter-current systems with MP Swim technology and LED lighting guarantee optimal water flow. The strengths of the counter-currents can be infinitely adjusted using a controller.

Experience pure relaxation and massage in the spacious Swim Spa. Relaxation and activation has never been so easy!



580 × 238 × 138 cm



3x  **MP Swim**
COUNTER-CURRENT

3x  **RiverStream^{PRO}**
OUTLETS

2x  **MP^{PRO}**
MASSAGE PUMP



 **ComfortLINE⁺**

2 LOUNGERS **2** SEATS



Waterfall^{*}
ILLUMINATED



AROMATHERAPY^{*}



10.000 l
CAPACITY


^{*} in spa-area

WaterFIT3

SWIMMING, AQUA-FITNESS AND RECREATION IN GENEROUS DIMENSIONS.

The vivo spa® WaterFit 3 shines with a unique design that guarantees optimal water flow. Due to its dimensions, swimming and water enthusiasts from small to large will find enough space and flexibility for refreshing water sports with relaxed to moderate intensity. Enjoy three wide RiverStream^{PRO} counter-current systems with MP Swim technology and LED lighting for your swimming and fitness routine.

After exercise, experience soothing hydrotherapy in the comfortable massage area. Two loungers and a seat offer you relaxing massages from head to toe.



530 × 238 × 150 cm



3x  **MP Swim**
COUNTER-CURRENT

3x  **RiverStream^{PRO}**
OUTLETS

1x  **MP^{PRO}**
MASSAGE PUMP



 **ComfortLINE⁺**
2 LOUNGERS 1 SEAT

 **8.800 l**
CAPACITY


WaterFIT 4

DYNAMIC SWIMMING EXPERIENCE IN PERFECTION.

The vivo spa® WaterFit 4 shines with a unique design and four wide RiverStream^{PRO} counter-current systems with MP Swim^{PRO} technology and LED lighting that guarantee optimal water flow and are suitable for intensive workout swimming.

With the WaterFit 4, swimming and water enthusiasts experience unique flexibility and quick adjustments for an intense aquatic sport. After exercise, enjoy the tranquility of the water in the comfortable swim area or on the exclusive entry steps.

WaterFit 4S




450 × 225 × 154 cm



10.000 l
CAPACITY

WaterFit 4M




550 × 225 × 154 cm



12.000 l
CAPACITY

WaterFit 4L



590 × 225 × 154 cm



12.500 l
CAPACITY



picture shows WaterFit 4L

2x  **MP Swim**
COUNTER-CURRENT

2x  **MP Swim^{PRO}**
COUNTER-CURRENT

4x  **RiverStream^{PRO}**
OUTLETS



ComfortLINE⁺

STAGES
EXTRA WIDE & COMFORTABLE

WaterFIT5


PERFECT SWIMMING EXPERIENCE, COMFORTABLE MASSAGE.

The vivo spa® WaterFit 5 offers an extraordinary combination of intensive water workouts and maximum relaxation. The unique shape design and its three wide RiverStream PRO counter-current systems with MP Swim PRO technology and LED lighting create optimal water flow for ambitious swimmers and fitness enthusiasts.

Two ergonomically designed loungers provide excellent hydrotherapy.

Enjoy stimulating massages from head to toe. The WaterFit 5 promises you pure swimming and massage pleasure!

WaterFit 5S




450 × 225 × 154 cm



9.000 l
CAPACITY

WaterFit 5M




550 × 225 × 154 cm



11.500 l
CAPACITY

WaterFit 5L



590 × 225 × 154 cm



12.000 l
CAPACITY



picture shows WaterFit 5L

3x  **MP Swim^{PRO}**
COUNTER-CURRENT

3x  **RiverStream^{PRO}**
OUTLETS

1x  **MP^{PRO}**
MASSAGE PUMP



 **ComfortLINE⁺**

2 LOUNGERS

CENTERED STAGES WITH
EXTRA COMFORT

TECHNICAL SPECIFICATIONS

WaterFIT1

WaterFIT2

WaterFIT3

WaterFIT4

dimensions in cm	400 × 228 × 135	580 × 238 × 138	530 × 238 × 150	Variante S – 450 × 225 × 154
seats / lounges	2 / 1 & standing therapy	3 / 2	1 / 2	-
empty weight in kg	1.100	1.480	1.450	1.150
amount of water in l	7.000	10.000	8.800	10.000
acrylic shell	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®
construction	premium structure DuraStand ^{PRO}	premium structure DuraStand ^{PRO}	premium structure DuraStand ^{PRO}	premium structure DuraStand ^{PRO}

COUNTER-CURRENT & HYDROTHERAPY

RiverStream ^{PRO}	3 x with LED-illumination	3 x with LED-illumination	3 x with LED-illumination	4 x with LED-illumination
MP Swim	2x 3 PS & 1 x 2 PS (5,8 kW)	3 x 3 PS (6,6 kW)	3 x 3 PS (6,6 kW)	2 x 3 PS (4,4 kW) center & bottom
MP Swim ^{PRO}	-	-	-	2 x 3 PS (4,4 kW) left & top right
massage pumps	1 x MP ^{PRO} 2 PS (1,4 kW)	2 x MP ^{PRO} 3 PS (4,4 kW)	1 x MP ^{PRO} 3 PS (2,2 kW)	-
DrivePro Jets	43	60	26	-
Blower (DrivePro Air Jets)	-	AirBlow ^{PRO} (12)	-	-

TECHNOLOGIES

electronic control	SPA Control ^{PRO} M8 Green Spa	SPA Control ^{PRO} M8 Green Spa	SPA Control ^{PRO} M8 Green Spa	SPA Control ^{PRO} M8 Green Spa
color display with WIFI	vivo spa® Touch	vivo spa® Touch	vivo spa® Touch	vivo spa® Touch
heater	HEAT Tec ^{PRO} 1 x 3 kW	HEAT Tec ^{PRO} 2 x 3 kW	HEAT Tec ^{PRO} 1 x 3 kW	HEAT Tec ^{PRO} 1 x 3 kW
circulation pump	CircPump ^{PRO} 1 x 0,35 PS (0,25 kW)	CircPump ^{PRO} 2 x 0,35 PS (0,5 kW)	CircPump ^{PRO} 1 x 0,35 PS (0,25 kW)	CircPump ^{PRO} 1 x 0,35 PS (0,25 kW)
disinfection	Ozone ^{PRO}	Ozone ^{PRO}	Ozone ^{PRO}	Ozone ^{PRO}
water management	WaterVILT ^{PRO} with Filter M (2x)	WaterVILT ^{PRO} with Filter L (3x)	WaterVILT ^{PRO} with Filter M (2x)	WaterVILT ^{PRO} with Filter M (2x)
insulation	IsoTec ^{PRO}	IsoTec ^{PRO}	IsoTec ^{PRO}	IsoTec ^{PRO}
skirting	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation
bottom base	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass

EXTRAS

waterfall / aromatherapy / color-therapy	yes / no / WaterFit LED-package	yes / yes / WaterFIT LED-package	no / no / WaterFit LED-package	no / no / WaterFit LED-package
stairs	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)
cover	ThermoCover (2 parts)	ThermoCover (3 parts)	ThermoCover (3 parts)	ThermoCover (2 parts)
optional	vivo spa® RollCover	vivo spa® RollCover	vivo spa® RollCover	vivo spa® RollCover

POWER SUPPLY

max. consumption in kW	10,45	17,5	12,05	12,05
power supply	3 × 20A with C-character (380 V)	2 × 3 × 16A with C-character (2 × 380V)	3 × 20A with C-character (380 V)	3 × 20A with C-character (380 V)

TECHNICAL SPECIFICATIONS

WaterFIT 4

WaterFIT 4

WaterFIT 5

WaterFIT 5

dimensions in cm	Variant M – 550 × 225 × 154	Variant L – 590 × 225 × 154	Variant S – 450 × 225 × 154	Variant M – 550 × 225 × 154
seats / lounges	-	-	- / 2	- / 2
empty weight in kg	1.400	1.500	1.200	1.450
amount of water in l	12.000	12.500	9.000	11.500
acrylic shell	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®	Aristech Acrylics® Bio-Lok®
construction	premium structure DuraStand PRO	premium structure DuraStand PRO	premium structure DuraStand PRO	premium structure DuraStand PRO
COUNTER-CURRENT & HYDROTHERAPY				
RiverStream PRO	4 x with LED-illumination	4 x with LED-illumination	3 x with LED-illumination	3 x with LED-illumination
MP Swim	2 × 3 PS (4,4 kW) center & bottom	2 × 3 PS (4,4 kW) center & bottom	-	-
MP Swim PRO	2 × 3 PS (4,4 kW) top left & right	2 × 3 PS (4,4 kW) top left & right	3 × 3 PS (6,6 kW)	3 × 3 PS (6,6 kW)
massage pumps	-	-	1 x MP PRO 3 PS (2,2 kW)	1 x MP PRO 3 PS (2,2 kW)
DrivePro Jets	-	-	22	22
Blower (DrivePro Air Jets)	-	-	-	-
TECHNOLOGIES				
electronic control	SPA Control PRO M8 Green Spa	SPA Control PRO M8 Green Spa	SPA Control PRO M8 Green Spa	SPA Control PRO M8 Green Spa
color display with WIFI	vivo spa® Touch	vivo spa® Touch	vivo spa® Touch	vivo spa® Touch
heater	HEAT Tec PRO 1 × 3 kW	HEAT Tec PRO 1 × 3 kW	HEAT Tec PRO 1 × 3 kW	HEAT Tec PRO 1 × 3 kW
circulation pump	CircPump PRO 1 × 0,35 PS (0,25 kW)	CircPump PRO 1 × 0,35 PS (0,25 kW)	CircPump PRO 1 × 0,35 PS (0,25 kW)	CircPump PRO 1 × 0,35 PS (0,25 kW)
disinfection	Ozone PRO	Ozone PRO	Ozone PRO	Ozone PRO
water management	WaterVILT PRO with Filter M (2x)	WaterVILT PRO with Filter M (2x)	WaterVILT PRO with Filter M (2x)	WaterVILT PRO with Filter M (2x)
insulation	IsoTec PRO	IsoTec PRO	IsoTec PRO	IsoTec PRO
skirting	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation	wooden-PVC & 3-layer-insulation
bottom base	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass	ABS with 3-layer-insulation & fiberglass
EXTRAS				
waterfall / aromatherapy / color-therapy	no / no / WaterFit LED-package	no / no / WaterFit LED-package	no / no / WaterFit LED-package	no / no / WaterFit LED-package
stairs	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)	vivo spa® stairs (132 × 81 × 75 cm)
cover	ThermoCover (3 parts)	ThermoCover (3 parts)	ThermoCover(3 parts)	ThermoCover (3 parts)
optional	vivo spa® RollCover	vivo spa® RollCover	vivo spa® RollCover	vivo spa® RollCover
POWER SUPPLY				
max. consumption in kW	12,05	12,05	12,05	12,05
power supply	3 × 20A with C-charakter (380 V)	3 × 20A with C-character (380 V)	3 × 20A mit C-character (380 V)	3 × 20A with C-character (380 V)

TECHNICAL SPECIFICATIONS

WaterFIT 5

dimensions in cm	Variant L – 590 × 225 × 154
seats / lounges	- / 2
empty weight in kg	1.550
amount of water in l	12.000
acrylic shell	Aristech Acrylics® Bio-Lok®
construction	premium structure DuraStand PRO
COUNTER-CURRENT & HYDROTHERAPY	
RiverStream PRO	3 x with LED-illumination
MP Swim	-
MP Swim PRO	3 × 3 PS (6,6 kW)
massage pumps	1 x MP PRO 3 PS (2,2 kW)
DrivePro Jets	22
Blower (DrivePro Air Jets)	-
TECHNOLOGIES	
electronic control	SPA Control PRO M8 Green Spa
color display with WIFI	vivo spa® Touch
heater	HEAT Tec PRO 1 × 3 kW
circulation pump	CircPump PRO 1 × 0,35 PS (0,25 kW)
disinfection	Ozone PRO
water management	WaterVILT PRO with Filter M (2x)
insulation	IsoTec PRO
skirting	wooden-PVC & 3-layer-insulation
bottom base	ABS with 3-layer-insulation & fiberglass
EXTRAS	
waterfall / aromatherapy / color-therapy	no / no / WaterFit LED-package
stairs	vivo spa® stairs (132 × 81 × 75 cm) BxTxH)
cover	ThermoCover (3 parts)
optional	vivo spa® RollCover
POWER SUPPLY	
max. consumption in kW	12,05
power supply	3 × 20A with C-character (380 V)

vivo spa[®]

www.vivo-spa.com